

ENVIRONMENTAL DECLARATION

Issue no 5

Product	SE-N1XE-R												
Supplier	<p>Nexans Sweden AB SE-514 81 Grimsås Tfn +46 325 800 00 Fax +46 325 803 20 www.nexans.se</p> <p>The company is certified according to ISO 9001, IATF 16949, IRIS(ISO/TS 22163) and ISO14001</p>												
Material	<table border="0"> <tr> <td>Conductor:</td> <td>Copper.</td> </tr> <tr> <td>Insulation:</td> <td>Cross-linked polyethylene.</td> </tr> <tr> <td>Filler:</td> <td>Polyethylene-coated polyester yarn.</td> </tr> <tr> <td>Rip cord:</td> <td>Polyester aramide.</td> </tr> <tr> <td>Filling:</td> <td>Ethylene-propylene rubber containing calcium carbonate.</td> </tr> <tr> <td>Sheath:</td> <td>Polyethylene containing carbon black and colored polyethylene.</td> </tr> </table>	Conductor:	Copper.	Insulation:	Cross-linked polyethylene.	Filler:	Polyethylene-coated polyester yarn.	Rip cord:	Polyester aramide.	Filling:	Ethylene-propylene rubber containing calcium carbonate.	Sheath:	Polyethylene containing carbon black and colored polyethylene.
Conductor:	Copper.												
Insulation:	Cross-linked polyethylene.												
Filler:	Polyethylene-coated polyester yarn.												
Rip cord:	Polyester aramide.												
Filling:	Ethylene-propylene rubber containing calcium carbonate.												
Sheath:	Polyethylene containing carbon black and colored polyethylene.												
RoHS Directive	The product meets the requirements in RoHS Directive (2011/65/EU "RoHS2") and its amendment (2015/863/EU "RoHS3").												
REACH	Nexans Sweden AB meets the requirements of the REACH Regulation (1907/2006/ EG).												
Packaging	Wooden drum made of heat-treated wood (meet ISPM 15), bolts, nails. The wooden drum can be returned and reused.												
Lifecycle Recycling Scrap	The expected life under normal use exceeding 30 years. Copper metal can be reused. Polyethylene, polypropene and polyester can be reused as plastic or as an energy source. Cross-linked polyethylene can be reused as an energy source.												
Other Environmental aspects	The cable itself does not affect the environment under normal use. When calculating the current carrying capacity be sure to consider the environmental stress that the energy loss implies. Throughout the cable's lifecycle it can be significant.												